

Alliance for Clinical Trials in Oncology Friday, May 13, 2016 Loews Chicago O'Hare Hotel 7:30 am – 11 am Teleconf #: 1-800-501-8979 Access code: 3057352 / Chair code: 3307

## Neuro-Oncology Committee Meeting Agenda Chair: Evanthia Galanis, MD Welcome – Overview E. Galanis Newly Diagnosed GBM Active Protocols A071102: Randomized Trial of ABT-888 or Placebo in Combination with J. Sarkaria Adjuvant Temozolomide in Newly Diagnosed GBM with MGMT Promoter Hypermethylation A Phase 3 Randomized Double-blind, Controlled Study of P Wen ICT-107 in Newly Diagnosed Glioblastoma Following Resection E. Galanis and Chemoradiation. Phase I/II Study of AZD1775 with Radiation and Temozolomide in B. Alexander Patients with Newly Diagnosed Glioblastoma **Recently Completed Trials** N0874 Phase I/II Study of Vorinostat (Suberoylanilide Hydroxamic Acid) [SAHA]Temozolomide, and Radiation Therapy in Patients with Newly **Diagnosed Glioblastoma** N0877 Phase I Randomized Phase II Trial of Either Dasatanib or Placebo Combined with Standard Chemo-Radiotherapy for Newly Diagnosed Glioblastoma Multiforme (GBM) **Recurrent GBM** Active Protocols A071101: A Phase II Randomized Trial Comparing the Efficacy of O. Bloch Heat Shock Protein-Peptide Complex-96 (HSPCC-96) NSC #725085, I. Parnev BB IND# Pending) Vaccine Given with Bevacizumab versus Bevacizumab alone in the Treatment of Surgically Resectable Recurrent Glioblastoma Multiforme (GBM) **Recently Completed Trials** N1174: Phase I/Randomized Comparative Phase II Trial of TRC105 plus Bevacizumab versus Bevacizumab in Bevacizumab-Naïve Patients with Recurrent Glioblastoma Multiforme (Accrual goal met 9/4/2015)

N0872 Phase I Randomized Phase II Double Blinded Study of Either Dasatanib or Placebo Combined with Bevacizumab in Recurrent Glioblastoma (Accrual goal met on 3/27/14)	
<u>New Concepts</u> A Phase II Study of Anti-PD-1/PD-L1 Blockade Immunotherapy in Patients with Hypermutated Recurrent Glioblastoma	G. Dunn
Anaplastic Gliomas – Newly Diagnosed N0577 Phase III Intergroup Study of Radiotherapy versus Temozolomide Alone versus Radiotherapy with Concomitant and Adjuvant Temozolomide for Patients with 1p/19q Codeleted Anaplastic Glioma	K. Jaeckle E. Galanis
EORTC 26053-22054 Phase III Trial on Concurrent and Adjuvant Temozolomide Chemotherapy in Non-1p/19q Deleted Anaplastic Glioma: The CATNON Intergroup Trial	K. Jaeckle E. Galanis
Low Grade Gliomas E3F05 Phase III Study of Radiation Therapy with or without Temozolomide for Symptomatic or Progressive Low-Grade Gliomas (Temp. Closed)	
<b>Meningiomas</b> A071401: Phase II Trial of SMO/AKT Inhibitors in Progressive Meningiomas with SMO/AKT Mutations	P. Brastianos
<b>Craniopharyngiomas</b> A071501: Phase II Trial of BRAF/MEK Inhibitors in Papillary Craniopharyngiomas	P. Brastianos
Brain Metastases	
<u>Concepts</u> A Phase III Trial of Radiosurgery (SRS) vs. WBRT for Multiple (5-15) Brain Metastases	D. Roberge M. Chan P. Brown
Molecularly-driven trial in brain metastases	P. Brastianos
<u>Recently Completed Trials</u> N017C A Phase III Randomized Trial of the Role of Whole Brain Radiation Therapy In Addition to Radiosurgery in the Management of Patients with One to Three Cerebral Metastases (Accrual goal met 11/16/2015)	
N0574 A Phase III Trial of Post-Surgical Stereotactic Radiosurgery (SRS) Compared with Whole Brain Radiotherapy (WBRT)	

## **Symptom Control**

A221101: A Phase III Randomized, Double-Blind Placebo A. Porter Controlled Study of Armodafinil (Nuvigil®) To Reduce Cancer-Related Fatigue in Patients with Glioblastoma Multiforme

A221208: Bevacizumab vs. Steroids (BeSt) for Radionecrosis after C. Chung Radiosurgery: A Randomized Phase II Trial